INDEX FOR VOLUME 28

Adams, Lowell, (review of) Guy H. Orcutt, Martin Greenberger, John Korbel, and Alice M. Rivlin. *Microanalysis of Socioeconomic Systems: A Simulation Study*, 873

Adams, Willie V., George E. Sanford, Earl E. Roth, and Leslie L. Glasgow. Nighttime capture of striped skunks in Louisiana, 368

Africa: increased duiker population, Southern Rhodesia, 866
Uganda kob, carcass and body composition, 827
wildlife census, Serengeti–Mara region, East Africa, 815

Age, composition of: *normal* for cottontail rabbits, 738

Age, determination of: beavers, tooth development, 430
Columbian black-tailed deer, lens weight, California, 773
fur seal, lens weight, Pribilof Islands, Alaska, 374
grizzly bear, annuli in tooth cementum, Canada, 863
raccoons, tooth eruption, Illinois, 582
sharp-tailed grouse, lens weight, South Dakota, 853
woodchucks, Pennsylvania, 9
woodcock, from wings, 287

Age, ratio: Canada geese, cannon-net trapped, Missouri, 522

Alaska: caribou, aerial censusing, south-central Alaska, 391
fur seals, age determination by lens weight, Pribilof Islands, 374
Kodiak bear population characteristics, Karluk lake drainage, 769

Anderson, John L., (review of) Paul L. Errington. *Muskrats and Marsh Management*, 186

Anderson, William L., Survival and reproduction of pheasants released in southern Illinois, 254

Antifertility agents: control of predator populations, coyotes, New Mexico, 352
inhibiting ovulation, pigeons, Missouri, 556
inhibiting reproduction, red foxes, New York, 358

Arasan: applied with Endrin to acorns, rodent repellent, South Carolina, 15

Arizona: Gambel's quail, vitamin A and productivity, 141
marking browse twigs to measure growth, 868

Aspen, large-toothed: browse digestibility, white-tailed deer, Michigan, 791

Baker, Maurice F. (Editor), *Proceedings of the First National White-Tailed Deer Disease Symposium* (reviewed), 186

Ballou, Robert M., and Fant W. Martin. Rigid plastic collars for marking geese, 846

Balser, Donald S., Management of predator populations with antifertility agents, 352

Bartonek, James C., and Charles W. Dane. Numbered nasal discs for waterfowl, 688

Baskett, Thomas S., *see* Jackson, Gary L., 293
See also Newlon, Charles F., 532

Bauer, Richard D., Ancel M. Johnson, and Victor B. Scheffer. Eye lens weight and age in the fur seal, 374

Beard, Elizabeth B., Duck brood behavior at the Seney National Wildlife Refuge, 492

Bears, black: estimating whole weight from hog-dressed, Montana, 581

Bears, grizzly: age determination, annuli in tooth cementum, Canada, 863

Bears, Kodiak: population characteristics, Alaska, 769

Beavers: age determination by tooth development, 430
detrimental cutting activity, Michigan, 861
ear marking, colored plastic tags, Canada, 859
reproduction, Pennsylvania, 743

Behavior: beavers, detrimental cutting activity, Michigan, 861
bobwhite response to snow, southern Illinois, 244
duck broods, Seney National Wildlife Refuge, Michigan, 492
perch-cooing of mourning doves, Missouri, 293
postbreeding period, ducks, Idaho, 223
results of transplanting blue-winged teal, Minnesota to Missouri, 208

Bellrose, Frank C., Kenneth L. Johnson, and T. Udell Meyers. Relative value of natural cavities and nesting houses for wood ducks, 661

Benthos: effects of herbicide silvex in farm pond, Missouri, 308

Berger, Andrew J., (review of) E. W. Jameson, Jr. *The Hawking of Japan*, 871

Bergerud, Arthur T., A field method to determine annual parturition rates for Newfoundland caribou, 477
Relationship of mandible length to sex in Newfoundland caribou, 54

Bergerud, Arthur T., Arthur Butt, H. Lloyd Russell, and Heman Whalen. Immobilization of Newfoundland caribou and moose with succinylcholine chloride and Cap-Chur equipment, 49

Bergerud, Arthur T., and Lloyd Russell. Evaluation of rumen food analysis for Newfoundland caribou, 809

Body composition: carcass analysis, Uganda kob, East Africa, 827

Bohuslov, LeRoy Garvin, Obituary of, 875

Bookhout, Theodore A., Prenatal development of snowshoe hares, 338

INDEX FOR VOLUME 28

Adams, Lowell, (review of) Guy H. Orcutt, Martin Greenberger, John Korbel, and Alice M. Rivlin. *Microanalysis of Socioeconomic Systems: A Simulation Study*, 873

Adams, Willie V., George E. Sanford, Earl E. Roth, and Leslie L. Glasgow. Nighttime capture of striped skunks in Louisiana, 368

Africa: increased duiker population, Southern Rhodesia, 866
Uganda kob, carcass and body composition, 827
wildlife census, Serengeti–Mara region, East Africa, 815

Age, composition of: *normal* for cottontail rabbits, 738

Age, determination of: beavers, tooth development, 430
Columbian black-tailed deer, lens weight, California, 773
fur seal, lens weight, Pribilof Islands, Alaska, 374
grizzly bear, annuli in tooth cementum, Canada, 863
raccoons, tooth eruption, Illinois, 582
sharp-tailed grouse, lens weight, South Dakota, 853
woodchucks, Pennsylvania, 9
woodcock, from wings, 287

Age, ratio: Canada geese, cannon-net trapped, Missouri, 522

Alaska: caribou, aerial censusing, south-central Alaska, 391
fur seals, age determination by lens weight, Pribilof Islands, 374
Kodiak bear population characteristics, Karluk lake drainage, 769

Anderson, John L., (review of) Paul L. Errington. *Muskrats and Marsh Management*, 186

Anderson, William L., Survival and reproduction of pheasants released in southern Illinois, 254

Antifertility agents: control of predator populations, coyotes, New Mexico, 352
inhibiting ovulation, pigeons, Missouri, 556
inhibiting reproduction, red foxes, New York, 358

Arasan: applied with Endrin to acorns, rodent repellent, South Carolina, 15

Arizona: Gambel's quail, vitamin A and productivity, 141
marking browse twigs to measure growth, 868

Aspen, large-toothed: browse digestibility, white-tailed deer, Michigan, 791

Baker, Maurice F. (Editor), *Proceedings of the First National White-Tailed Deer Disease Symposium* (reviewed), 186

Ballou, Robert M., and Fant W. Martin. Rigid plastic collars for marking geese, 846

Balser, Donald S., Management of predator populations with antifertility agents, 352

Bartonek, James C., and Charles W. Dane. Numbered nasal discs for waterfowl, 688

Baskett, Thomas S., *see* Jackson, Gary L., 293
See also Newlon, Charles F., 532

Bauer, Richard D., Ancel M. Johnson, and Victor B. Scheffer. Eye lens weight and age in the fur seal, 374

Beard, Elizabeth B., Duck brood behavior at the Seney National Wildlife Refuge, 492

Bears, black: estimating whole weight from hog-dressed, Montana, 581

Bears, grizzly: age determination, annuli in tooth cementum, Canada, 863

Bears, Kodiak: population characteristics, Alaska, 769

Beavers: age determination by tooth development, 430
detrimental cutting activity, Michigan, 861
ear marking, colored plastic tags, Canada, 859
reproduction, Pennsylvania, 743

Behavior: beavers, detrimental cutting activity, Michigan, 861
bobwhite response to snow, southern Illinois, 244
duck broods, Seney National Wildlife Refuge, Michigan, 492
perch-cooing of mourning doves, Missouri, 293
postbreeding period, ducks, Idaho, 223
results of transplanting blue-winged teal, Minnesota to Missouri, 208

Bellrose, Frank C., Kenneth L. Johnson, and T. Udell Meyers. Relative value of natural cavities and nesting houses for wood ducks, 661

Benthos: effects of herbicide silvex in farm pond, Missouri, 308

Berger, Andrew J., (review of) E. W. Jameson, Jr. *The Hawking of Japan*, 871

Bergerud, Arthur T., A field method to determine annual parturition rates for Newfoundland caribou, 477
Relationship of mandible length to sex in Newfoundland caribou, 54

Bergerud, Arthur T., Arthur Butt, H. Lloyd Russell, and Heman Whalen. Immobilization of Newfoundland caribou and moose with succinylcholine chloride and Cap-Chur equipment, 49

Bergerud, Arthur T., and Lloyd Russell. Evaluation of rumen food analysis for Newfoundland caribou, 809

Body composition: carcass analysis, Uganda kob, East Africa, 827

Bohuslov, LeRoy Garvin, Obituary of, 875

Bookhout, Theodore A., Prenatal development of snowshoe hares, 338

Bowles, Walter A., *see* Tigner, James R., 748
Box, Thadis W., *see* Chamrad, Albert D., 473
Brakhage, George K., *see* Merz, Robert W., 233
Breitenbach, Robert P., *see* Newlon, Charles F., 532
Brenner, Fred J., Reproduction of the beaver in Crawford County, Pennsylvania, 743
Bronson, Frank, *see* Davis, David E., 1
Brooks, James W., Obituary of LeRoy Garvin Bohuslov, 875
Brower, David, *Wilderness: America's Living Heritage* (reviewed), 414
Buffaloes: wildlife census, Serengeti–Mara region, East Africa, 815
Burger, George V., Survival of ring-necked pheasants released on a Wisconsin shooting preserve, 711
Burnet: as game food, fertilization needs, Lakewood sand soils, New Jersey, 840
Buss, Irven O., (review of) George B. Schaller. *The Mountain Gorilla: Ecology and Behavior*, 412
Butt, Arthur, *see* Bergerud, Arthur T., 49

Calcium: consumption by hen pheasants, Illinois, 264
Caldwell, Larry D., Dove production and nest site selection in southern Michigan, 732
California: Columbian black-tailed deer, lens technique for aging, 773
pine squirrel, food habits, northeastern California, 402
quail, annual population changes, 702
quail, population dynamics, 127
waterfowl hunting techniques at Humboldt Bay, 103
Campbell, Robert L., *see* Harp, George L., 308
Canada: beaver, colored ear markers, Manitoba and Newfoundland, 859
grizzly bear age determination, Alberta, 863
Canvasbacks: natural food consumption in captivity, Michigan, 527
numbered nasal discs, 688
unusual mortality, Minnesota, 848
Cap-Chur gun: immobilization of moose and caribou, Newfoundland, 49
mortality in deer, Texas, 173
Caribou: aerial censusing, south-central Alaska, 391
field method for determining parturition rates, Newfoundland, 477
immobilization with succinylcholine chloride and Cap-Chur equipment, Newfoundland, 49
rumen analysis, Newfoundland, 809
sex determination by mandible length, Newfoundland, 54
Casebeer, Robert L., Obituary of Olaus Johan Murie, 191
Casteel, David A., and William R. Edwards. Two instances of multiparous juvenile cottontails, 858
Cedar, northern white: browse digestibility, white-tailed deer, Michigan, 791
Censusing: aerial, East African wildlife, Serengeti–Mara region, 815
caribou, from air, south-central Alaska, 391
deer, spotlighting, South Dakota, 27
Chamrad, Albert D., and Thadis W. Box. A point frame for sampling rumen contents, 473
Chesness, Robert A., and Maynard M. Nelson. Illegal kill of hen pheasants in Minnesota, 249
Child, Graham, and Vivian Wilson. Delayed effects of tsetse control hunting on a duiker population, 866
Christian, John J., *see* Davis, David E., 1
Chupp, Norman R., and Paul D. Dalke. Waterfowl mortality in the Coeur d'Alene River Valley, Idaho, 692
Cochran, William W., *see* Tester, John R., 42
Color aberrancy: wild turkeys, 148
Colorado: blue and sage grouse, trapping with mobile cannon net, 595
mourning dove, food habits, eastern Colorado, 152
mule deer, effect of sagebrush on rumen, 785
Color-marking: beavers, ear tags, Canada, 859
bighorn sheep, dye spray, Nevada, 584
geese, plastic collars, Utah and Wyoming, 846
prairie chickens, aluminum band, Wisconsin, 850
Connecticut: soras, fall foods, 163
Cookingham, R. A., and T. H. Ripley. Vital characteristics of an insular bobwhite population, 855
Cornwell, George W., *see* Longcore, Jerry R., 527
Cowan, I., McT., (review of) Maurice F. Baker (Editor). *Proceedings of the First National White-Tailed Deer Disease Symposium*, 186
Cowles, Raymond B., *Zulu Journal, Field Notes of a Naturalist in South Africa* (reviewed), 188
Cox, M. L., *see* Glazener, W. C., 280
Coyotes: Population regulation with antifertility agents, New Mexico, 352
Craighead, John J., and Dwight S. Stockstad. Breeding age of Canada geese, 57
Cronan, John M., Pheasant depredation on potatoes, 165
Cummings, Gerald E., and Oliver H. Hewitt. Capturing waterfowl and marsh birds at night with light and sound, 120
Curry-Lindahl, Kai. *Flyttfåglarnas tropiska vinterhem* (reviewed), 602
(review of) Henry Heim de Balsac and Noël Mayaud. *Les oiseaux du nord-ouest de l'Afrique*, 599
(review of) J. J. Petter. *Recherches sur l'écologies et l'éthologie des lémuriens malgaches*, 413
Skogar och djur (reviewed), 602

Cushing, C. E., Jr., An apparatus for sampling drifting organisms in streams, 592

Dahlgren, Robert B., Curtis M. Twedt, and F. Robert Henderson. Lens weights of sharp-tailed grouse, 853
Dalke, Paul D., *see* Chupp, Norman R., 692
Dane, Charles W., *see* Bartonek, James C., 688
Davis, David E., Evaluation of characters for determining age of woodchucks, 9
Davis, David E., John J. Christian, and Frank Bronson. Effect of exploitation on birth, mortality, and movement rates in a woodchuck population, 1
Davis, David E., and Frank B. Golley. *Principles in Mammalogy* (reviewed), 872
Davis, Gerald E., *see* Warren, Charles E., 617
Davison, Verne E., Selection of foods by gray squirrels, 346
de Balsac, Henry Heim, and Noël Mayaud. *Les oiseaux du nord-ouest de l'Afrique* (reviewed), 599
Deer, Columbian black-tailed: lens technique for aging, California, 773
Deer, mule: defecation rates, Utah, 435
effects of sagebrush on rumen, Colorado, 785
factors influencing spotlighting, South Dakota, 27
Deer, red: introduction and effects on habitat, New Zealand, 421
Deer, white-tailed: birth of fawns, Texas, 171
browse and timber harvest, Virginia, 458
browse digestibility, cedar and aspen, Michigan, 791
epizootic hemorrhagic disease, 377
factors influencing spotlighting, South Dakota, 27
food habits, burnet, New Jersey, 840
forage competition with livestock, Texas, 798
leptospiral reactor rates, Illinois, 35
marking technique for field recognition, Texas, 167
mobility and home range, Texas, 463
mortality, use of Cap-Chur gun, Texas, 173
movements, radio-tracking system, Minnesota, 42
postnatal stomach development, 445
sampling antlers for strontium-90, Maryland, 45
sampling rumen contents, Texas, 473
Denson, Eley P., Comparison of waterfowl hunting techniques at Humboldt Bay, California, 103
Development, prenatal: snowshoe hares, Michigan, 338
Diethylstilbestrol: effects on reproduction, captive red foxes, 358
Dimmick, Ralph W., and W. D. Klimstra. Controlled duck hunting in Illinois, 676
Diseases and parasites: epizootic hemorrhagic disease, white-tailed deer, 377
fowl cholera, eider duck, Maine, 587
gastrointestinal, effects on cottontails, Wisconsin, 20
helminth infections, pheasants, eastern South Dakota, 543
leptospiral reactor rates, deer and livestock, Illinois, 35
lungworm infection, bighorn sheep, Montana, 481
mortality from mine wastes, waterfowl, Coeur d'Alene River Valley, Idaho, 692
Distribution: and migration, redheads, 64
ring-necked pheasants, as influenced by calcium, Illinois, 722
Doudoroff, Peter, *see* Warren, Charles E., 617
Doves, mourning: food habits, burnet, New Jersey, 840
food habits, eastern Colorado, 152
nesting, southern Michigan, 732
perch-cooing and breeding behavior, Missouri, 293
Dowing, Robert L., (review of) Leonard Lee Rue. *The World of the White-Tailed Deer*, 188
Duck banding: numbered nasal discs, 688
Ducks, black: brood behavior, Michigan, 492
Ducks, diving: unusual mortality, Minnesota, 848
Ducks, eider: fowl cholera, Maine, 587
Ducks, ring-necked: brood behavior, Michigan, 492
unusual mortality, Minnesota, 848
Ducks, wood: brood behavior, Michigan, 492
nesting preferences, natural cavities and houses, Illinois, 661
Duerre, Donald C., *see* Progulske, Donald R., 27
Duiker: population increase, tsetse control hunting program, Southern Rhodesia, 866

Economic losses: beaver cuttings indirectly destroy white pine, Michigan, 861
pheasant depredation on potatoes, Rhode Island, 165
Economic returns: of controlled duck hunting, Illinois, 676
Edwards, William R., Evidence for a *normal* age composition for cottontails, 738
See Casteel, David A., 858
Edwards, William R., Peter J. Mikolaj, and Edward A. Leite. Implications from winter–spring weights of pheasants, 270
Elands: wildlife census, Serengeti–Mara region, East Africa, 815
Elder, William H., Chemical inhibitors of ovulation in the pigeon, 556
Elephants: wildlife census, Serengeti–Mara region, East Africa, 815
Ellis, Ralph J., Tracking raccoons by radio, 363
Emlen, John T., (review of) Raymond B. Cowles. *Zulu Journal, Field Notes of a Naturalist in South Africa*, 188
Enders, Robert K., *see* Linhart, Samuel B., 358
Endrin: applied with Arasan to acorns, rodent repellent, South Carolina, 15

Errington, Paul L., *Muskrats and Marsh Management* (reviewed), 186
Evenden, Fred G., (review of) Richard A. Pimentel. *Natural History*, 604

Fankhauser, Don, Plastic adhesive tape for color-marking birds, 594
Fay, L. D., *see* Ullrey, D. E., 791
Ferguson, Denzel E., Some ecological effects of heptachlor on birds, 158
Ferris, D. H., and B. J. Verts. Leptospiral reactor rates among white-tailed deer and livestock in Carroll County, Illinois, 35
Fire: effects of, on Wisconsin muskeg, 317
Florida, northeastern: color aberrancy, wild turkeys, 148
Flyger, Vagn, (review of) Kai Curry-Lindahl. *Flyttfåglarnas tropiska vinterhem*, 602
(review of) Kai Curry-Lindahl. *Skogar och djur*, 602
Food and habitat: development, to provide for wildlife, Michigan, 175
Food habits: bobwhites, emergency foods with sustaining value, Missouri, 533
calcium and distribution of pheasants, Illinois, 722
canvasbacks, in captivity, Michigan, 527
caribou, rumen analysis, Newfoundland, 809
consumption of grit, hen pheasants, Illinois, 264
cutthroat trout, experimental, sucrose-enriched stream, Oregon, 617
forage competition between deer and livestock, Texas, 798
gray squirrels, Georgia, 346
lesser scaups, in captivity, Michigan, 527
mourning doves, eastern Colorado, 152
mule deer, effects of sagebrush on rumen, Colorado, 785
pheasant depredation on potatoes, Rhode Island, 165
pheasants, feed grain program, east-central Illinois, 547
pine squirrel, northeastern California, 402
soras, Connecticut, in fall, 163
white-tailed deer, as determined by postnatal stomach development, 445
white-tailed deer, browse relative to age and intensity of timber harvest, Virginia, 458
white-tailed deer, cedar and aspen browse, Michigan, 791
white-tailed deer, rumen contents, Texas, 473
Food production: burnet, fertilization needs, New Jersey, 840
Forrester, Donald J., and Clyde M. Senger. A survey of lungworm infection in bighorn sheep of Montana, 481
Fox, red: captive, effects of diethylstilbestrol on reproduction, New York, 358
Fuller, W. A., *see* Mundy, Keith R. D., 863

Gazelles, Thomson's: wildlife census, Serengeti–Mara region, East Africa, 815
Geese, Canada: breeding age, Montana, 57
cannon-netted, sex- and age-ratio bias, Missouri, 522
marking with rigid plastic collars, 846
normal development and causes of reproductive failure, 197
Genelly, Richard E., *see* Raitt, Ralph J., 127
Georgia: food selection by gray squirrels, 346
Gershman, M., J. F. Witter, H. E. Spencer, Jr., and A. Kalvaitis. Case report: epizootic of fowl cholera in the common eider duck, 587
Gilbertson, Donald E., and Ernest J. Hugghins. Helminth infections in pheasants from Brown County, South Dakota, 543
Gillam, Harry L., Obituary of Herman J. Tuttle, 875
Glasgow, Leslie L., *see* Adams, Willie V., 368
Glazener, W. C., A. S. Jackson, and M. L. Cox. The Texas drop-net turkey trap, 280
See Knowlton, Frederick F., 167
Graham, Samuel A., Robert P. Harrison, Jr., and Casey E. Westell, Jr. *Aspens: Phoenix Trees of the Great Lakes Region* (reviewed), 598
Grouse, blue: trapping, mobile cannon net trap, Colorado, 595
Grouse, sage: trapping, mobile cannon net trap, Colorado, 595
Grouse, sharp-tailed: determining age from lens weight, South Dakota, 853
Growth: cottontail, relationship between soil fertility and body weight, Missouri, 329
cutthroat trout in experimental, sucrose-enriched stream, Oregon, 617
Uganda kob, carcass and body composition, East Africa, 827
white-tailed deer, postnatal stomach development, 445
Gysel, Leslie W., and Walter A. Lemmien. An eight-year record of fruit production, 175

Habitat: mourning dove nest site selection, southern Michigan, 732
New Zealand, as affected by introduced browsing mammals, 421
soybean fields, pheasant nesting, east-central Illinois, 589
wood duck nesting, natural cavities and houses, Illinois, 661
Halls, Lowell K., and Thomas H. Ripley (Editors). *Deer Browse Plants of Southern Forests* (reviewed), 872
Hamerstrom, F. N., Jr., and O. E. Mattson. A numbered, metal color-band for game birds, 850
Hansen, Charles G., A dye spraying device for marking desert bighorn sheep, 584
Hanson, William R., *see* Kelker, George H., 411
Hares, snowshoe: prenatal development, Michigan, 338

Harp, George L., and Robert S. Campbell. Effects of the herbicide silvex on benthos of a farm pond, 308
Harper, James A., Calcium in grit consumed by hen pheasants in east-central Illinois, 264
Harper, James A., and Ronald F. Labisky. The influence of calcium on the distribution of pheasants in Illinois, 722
Hartebeests: wildlife census, Serengeti–Mara region, East Africa, 815
Haugen, Arnold O., Visual aids with legible slides, 177
Helminths: lungworm infection, bighorn sheep, Montana, 481
infections in ring-necked pheasants, South Dakota, 543
Henderson, F. Robert, *see* Dahlgren, Robert B., 853
Hensel, Richard J., *see* Troyer, Willard A., 769
Heptachlor: effect on birds, Mississippi, 158
Herbicide: effects of silvex on farm pond benthos, Missouri, 308
Hewitt, Oliver H., *see* Cummings, Gerald E., 120
Hoffmeister, Donald F., (review of) David E. Davis and Frank B. Golley. *Principles in Mammalogy*, 872
Home ranges: white-tailed deer, Edwards Plateau, Texas, 463
Homing: transplanted blue-winged teal, 208
wood ducks, nesting, Illinois, 661
Howard, Walter E., Introduced browsing mammals and habitat stability in New Zealand, 421
Hugghins, Ernest J., *see* Gilbertson, Donald E., 543
Hungerford, Charles R., Vitamin A and productivity in Gambel's quail, 141
Hunting: waterfowl techniques compared, California, 103

Idaho: postbreeding behavior and ecology of ducks, 223
waterfowl mortality, Coeur d'Alene River Valley, 692
Illinois: calcium and distribution of pheasants, 722
controlled duck hunting, 676
cottontail rabbits, multiparous juveniles, 858
grit consumption by hen pheasants, east-central Illinois, 264
leptospiral reactor rates, white-tailed deer and livestock, Carroll County, 35
pheasant production and feed grain program, east-central Illinois, 547
raccoons, determining age from tooth eruption, 582
radio-tracking raccoons, 363
responses of bobwhites to snow, southern Illinois, 244
ring-necked pheasants, nesting in soybean fields, east-central Illinois, 589
survival and reproduction of pheasants, southern Illinois, 254
wood duck nesting, natural cavities and houses, 661
Indiana: reproduction in caged bobwhites, 240
Introduced species: New Zealand, red deer and Australian opossum, effects on habitat, 421
Irving, Laurence, *Birds of Anaktuvuk Pass, Kobuk, and Old Crow: A Study in Arctic Adaptation* (reviewed), 602

Jackson, A. S., *see* Glazener, W. C., 280
Jackson, Gary L., and Thomas S. Baskett. Perch-cooing and other aspects of breeding behavior of mourning doves, 293
Jameson, E. W., Jr., *The Hawking of Japan* (reviewed), 871
Jean, Henri, *see* Taylor, J. Mary, 406
Jenkins, James H., (review of) Lowell K. Halls and Thomas H. Ripley (Editors). *Deer Browse Plants of Southern Forests*, 872
Johnson, Ancel M., *see* Bauer, Richard D., 374
Johnson, Frank M., Jack Stubbs, and Ralph A. Klawitter. Rodent repellent value of Arasan–Endrin mixtures applied to acorns, 15
Johnson, H. E., *see* Ullrey, D. E., 791
Johnson, Kenneth L., *see* Bellrose, Frank C., 661
Jonkel, Charles J., Estimating whole weights of black bears from hog-dressed weights, 581
Joselyn, G. Blair, and John E. Warnock. Value of federal feed grain program to production of pheasants in Illinois, 547
See Warnock, John E., 589

Kalvaitis, A., *see* Gershman, M., 587
Kelker, George Hills, Appraisal of ideas advanced by Aldo Leopold thirty years ago, 180
(review of) S. J. Reisman (Editor). *A Style Manual for Technical Writers and Editors*, 189
Kelker, George H., and William R. Hanson. Simplifying the calculation of differential survival of age-classes, 411
Kelso, Leon, (review of) Oleg Izmailovich Semenov-Tyan-Shanskii. *Ekologiya Teterevinykh Ptits* (The Ecology of Tetraonids), 600
Kirkpatrick, Charles M., Age versus environment as conditions for reproduction in caged bobwhites, 240
Klawitter, Ralph A., *see* Johnson, Frank M., 15
Klimstra, W. D., *see* Dimmick, Ralph W., 676
Knight, Richard, (review of) M. S. Morris, J. E. Schmautz, and P. F. Stickney. *A Winter Field Key to the Native Shrubs of Montana*, 605
Knowlton, Frederick F., Edwin D. Michael, and W. C. Glazener. A marking technique for field recognition of individual turkeys and deer, 167

Kob, Uganda: carcass and body composition, East Africa, 827
Kopischke, Earl D., Unusual mortality for diving ducks, 848
Ku, P. K., *see* Ullrey, D. E., 791

Labisky, Ronald F., *see* Harper, James A., 722
Lacher, Dorothy D., *see* Lacher, John R., 595
Lacher, John R., and Dorothy D. Lacher. A mobile cannon net trap, 595
Ledger, H. P., and N. S. Smith. The carcass and body composition of the Uganda kob, 827
Leite, Edward A., *see* Edwards, William R., 270
Lemmien, Walter A., *see* Gysel, Leslie W., 175
Leopold, Aldo: appraisal of ideas advanced by, 180
Leptospirosis: in white-tailed deer, Illinois, 35
Linhart, Samuel B., and Robert K. Enders. Some effects of diethylstilbestrol on reproduction in captive red foxes, 358
Lions: wildlife census, Serengeti–Mara region, East Africa, 815
Livestock: forage competition with white-tailed deer, Texas, 798
Longcore, Jerry R., and George W. Cornwell. The consumption of natural foods by captive canvasbacks and lesser scaups, 527
Longhurst, William M., Evaluation of the eye lens technique for aging Columbian black-tailed deer, 773
Louisiana: striped skunks, nighttime capture, 368

McCabe, Robert A., (review of) David Brower. *Wilderness: America's Living Heritage*, 414
McGinnes, Burd S., *see* Patton, David R., 458
McKeever, Sturgis, Food habits of the pine squirrel in northeastern California, 402
McLain, P., *see* Toth, S. J., 840
McMahan, Craig A., Comparative food habits of deer and three classes of livestock, 798
McMillan, Ian I., Annual population changes in California quail, 702
McNeel, Wakelin, Jr., Beaver cuttings in aspen indirectly detrimental to white pine, 861
MacNamara, L. G., *see* Toth, S. J., 840
Maine: eider duck, fowl cholera, 587
Malaya: radio-tracking rats, 752
Mallards: behavior and ecology, postbreeding period, Idaho, 223
brood behavior, Michigan, 492
Management: bighorn sheep, Wildhorse Island, Montana, 381
bobwhites, emergency foods with sustaining value, Missouri, 533
chloropicrin as mice repellent, 748
controlled duck hunting, Illinois, 676
duiker, Southern Rhodesia, 866
effect of fire on a muskeg, Wisconsin, 317
effect of *Sphaerotilus natans* on trout in experimental stream, Oregon, 617
establishing bobwhite population, insular environment, Massachusetts, 855
game food, burnet, fertilization needs, New Jersey, 840
inhibiting ovulation, pigeons, Missouri, 556
inhibiting reproduction, red foxes, New York, 358
introduced browsing mammals and habitat stability, New Zealand, 421
marking current growth twigs of browse plants, Arizona, 868
pheasant production, feed grain program, east-central Illinois, 547
pin oak in a duck shooting area, Missouri, 233
predator control with antifertility agents, New Mexico, 352
predator-proof nests for wood ducks, Illinois, 661
quail, population changes, California, 702
releasing pheasants in southern Illinois, 254
repelling rodents, Arasan–Endrin mixtures, South Carolina, 15
survival of shooting preserve pheasants, Wisconsin, 711
transplanting blue-winged teal, Minnesota to Missouri, 208
white-tailed deer, cedar and aspen browse, Michigan, 791
Manitoba: effect of drought on reproduction of lesser scaups, 213
lesser scaups, trapping males with decoy, 408
predation of long-tailed weasel on eggs of blue-winged teal, 404
Mapping: improved method, forest cover, 870
Mann, Grady E., Improved techniques for aerial wetland surveys, 575
Manuscript preparation: checklist of helpful reminders, 419
designation of publication in literature cited, 416
Marburger, Rodney G., *see* Thomas, Jack Ward, 173, 552
Marsh birds: capturing at night with light and sound, New York, 120
Martin, Fant W., Woodcock age and sex determination from wings, 287
See Ballou, Robert M., 846
Maryland: sampling deer antlers for strontium-90, 45
Massachusetts: bobwhite population increase, Cape Cod, 855
Mattson, O. E., *see* Hamerstrom, F. N., Jr., 850
Merganser, hooded: brood behavior, Michigan, 492
Merz, Robert W., and George K. Brakhage. The management of pin oak in a duck shooting area, 233
Meyers, T. Udell, *see* Bellrose, Frank C., 661
Mice, house: chloropicrin as repellent, 748

Michael, Edwin D., Birth of white-tailed deer fawns, 171
See Knowlton, Frederick F., 167
Michigan: beaver, detrimental cuttings, 861
Canada geese, normal development and reproductive failure, 197
captive canvasbacks and lesser scaups, natural food consumption, 527
duck brood behavior, 492
forest development for provision of wildlife food and cover, 175
mourning dove nesting, southern Michigan, 732
snowshoe hares, prenatal development, 338
white-tailed deer, browse digestibility, cedar and aspen, 791
Migration: and distribution, redheads, 64
seasonal, East African wildlife, Serengeti–Mara region, 815
Mikolaj, Peter J., *see* Edwards, William R., 270
Miller, Donald Ray, Colored plastic ear markers for beaver, 859
Millet, Japanese: supplement for pin oak mast, duck shooting area, Missouri, 233
Minnesota: aerial wetland survey techniques, 575
diving ducks, unusual mortality, 848
illegal kill of hen pheasants, 249
radio-tracking, white-tailed deer, 42
transplanting blue-winged teal, 208
Mississippi: effects of heptachlor on birds, 158
Missouri: bobwhites, sustaining foods, 532
Canada geese, cannon-netted, sex- and age-ratio bias, 522
farm pond, effects of herbicide silvex on benthos, 308
managing pin oak in duck shooting area, 233
mourning doves, perch-cooing and breeding behavior, 293
pigeon, inhibiting ovulation, 556
soil fertility and cottontail weights, 329
transplanting blue-winged teal, 208
Montana: bighorn sheep, lungworm infection, 481
bighorn sheep, population dynamics, Wildhorse Island, 381
black bears, estimating weights, 581
Canada geese, breeding age, 57
Montgomery, G. G., Tooth eruption in preweaned raccoons, 582
Moose: immobilization with succinylcholine chloride and Cap-Chur equipment, Newfoundland, 49
Morris, M. S., J. E. Schmautz, and P. F. Stickney. *A Winter Field Key to the Native Shrubs of Montana* (reviewed), 605
Mortality: death by drowning, diving ducks, Minnesota, 848
deer, use of Cap-Chur gun, Texas, 173
waterfowl, mine wastes, Coeur d'Alene River Valley, Idaho, 692
Movements: blue-winged teal, transplanted, Minnesota to Missouri, 208
raccoons, radio-tracking, Illinois, 363
rats, radio-tracking, Malaya, 752
white-tailed deer, Edwards Plateau, Texas, 463
white-tailed deer, radio-tracking, Minnesota, 42
wild turkeys, Texas, 552
woodchucks, effects of exploitation, Pennsylvania, 1
Mundy, Keith R. D., and W. A. Fuller. Age determination in the grizzly bear, 863
Murie, Olaus Johan, Obituary of, 191

Nagy, Julius G., Harold W. Steinhoff, and Gerald M. Ward. Effects of essential oils of sagebrush on deer rumen microbial function, 785
Nass, Roger D., Sex- and age-ratio bias of cannon-netted geese, 522
Neff, Don J., A comparison of paints for marking browse twigs, 868
Nelson, Maynard M., *see* Chesness, Robert A., 249
Nevada: bighorn sheep, spray marking with dye, 584
Newfoundland: caribou, determining parturition rates in the field, 477
caribou rumen analysis, 809
immobilization of moose and caribou, succinylcholine chloride and Cap-Chur equipment, 49
mandible length and sex relationships, caribou, 54
New Jersey: game food, fertilization of burnet on Lakewood sand soils, 840
Newlon, Charles F., Thomas S. Baskett, Robert P. Breitenbach, and Jack A. Stanford. Sustaining values of emergency foods for bobwhites, 532
New Mexico: predator control with antifertility agents, 352
New York: capturing waterfowl and marsh birds at night, 120
red foxes, inhibiting reproduction, 358
New Zealand: introduced browsing mammals and habitat stability, 421
Nixon, Charles M., An improved method of mapping forested areas, 870

Oak, pin: management in duck shooting area, Missouri, 233
Obituaries: Bohuslov, LeRoy Garvin, 875
Murie, Olaus Johan, 191
Tuttle, Herman J., 875
Ohio: winter–spring weights of pheasants, 270
Opossum, Australian: introduction and effects on habitat, New Zealand, 421
Orcutt, Guy H., Martin Greenberger, John Korbel, and Alice M. Rivlin. *Microanalysis of Socioeconomic Systems: A Simulation Study* (reviewed), 873
Oregon: trout production in experimental, sucrose-enriched stream, 617
Oring, Lewis W., Behavior and ecology of certain ducks during the postbreeding period, 223

Patton, David R., and Burd S. McGinnes. Deer browse relative to age and intensity of timber harvest, 458
Pennsylvania: age determination of woodchucks, 9
beaver reproduction, 743
woodchuck population, effect of exploitation, 1
Petter, J. J., *Recherches, sur l'écologie et l'éthologie des lémuriens malgaches* (reviewed), 413
Pheasants, ring-necked: calcium and distribution of, Illinois, 722
consumption of calcium in grit, east-central Illinois, 264
helminth infections, South Dakota, 543
illegal kill of hens, Minnesota, 249
nesting in soybean fields, east-central Illinois, 589
potato depredation, Rhode Island, 165
production, value of federal feed grain program, east-central Illinois, 547
survival and reproduction, southern Illinois, 254
survival, Wisconsin shooting preserve, 711
winter–spring weights, Ohio, 270
Pigeons: inhibiting ovulation, Missouri, 556
Pimental, Richard A., *Natural History* (reviewed), 604
Pintails: behavior and ecology, postbreeding period, Idaho, 223
Population: age structure of, cottontail rabbits, 738
bighorn sheep, Wildhorse Island, Montana, 381
bobwhites, increase and stabilization, insular conditions, Massachusetts, 855
characteristics, Kodiak bear, Alaska, 769
duiker, increase due to tsetse control hunting program, Southern Rhodesia, 866
dynamics, California quail, California, 127
quail, annual changes, California, 702
survival of pheasants released in southern Illinois, 254
woodchucks, Pennsylvania, 1
Prairie chickens: color-banding, Wisconsin, 850
Predation: long-tailed weasel on eggs of blue-winged teal, Manitoba, 404
raccoons on wood ducks, Illinois, 661
Progulske, Donald R., and Donald C. Duerre. Factors influencing spotlighting counts of deer, 27

Quail, bobwhite: food habits, burnet, New Jersey, 840
population increase, Cape Cod, Massachusetts, 855
reproduction of cage population, Indiana, 240
responses to snow cover, southern Illinois, 244
sustaining foods, Missouri, 532
Quail, California: annual population changes, 702
population dynamics, California, 127
Quail, Gambel's: productivity, influence of vitamin A, Arizona, 141

Rabbits, cottontail: age composition, 738
effects of gastrointestinal parasites, Wisconsin, 20
food habits, burnet, New Jersey, 840
multiparous juveniles, Illinois, 858
relationship between soil fertility and body weight, Missouri, 329
Raccoons: predation on wood ducks, Illinois, 661
preweaned, tooth eruption, 582
techniques for radio-tracking, 363
Radio-tracking: raccoons, Illinois, 363
rats, Malaya, 752
white-tailed deer, Minnesota, 42
Rails, sora: fall food habits in Connecticut, 163
Raitt, Ralph J., and Richard E. Genelly. Dynamics of a population of California quail, 127
Rats: radio-tracking, Malaya, 752
Rats, cotton: repelling value of Arasan–Endrin on acorns, South Carolina, 15
Redheads: distribution and migration, 64
numbered nasal discs, 688
unusual mortality, Minnesota, 848
Reines, Mervin, (review of) Samuel A. Graham, Robert P. Harrison, Jr., and Casey E. Westell, Jr. *Aspens: Phoenix Trees of the Great Lakes Region*, 598
Reisman, S. J. (Editor), *A Style Manual for Technical Writers and Editors* (reviewed), 189
Repellents: heptachlor, effect on birds, Mississippi, 158
rodents, Arasan–Endrin applied to acorns, South Carolina, 15
Reproduction: as affected by diethylstilbestrol, captive red foxes, New York, 358
as affected by drought, lesser scaups, Manitoba, 213
beavers, Pennsylvania, 743
bighorn sheep, Wildhorse Island, Montana, 381
caged bobwhites, age versus environment as conditions, Indiana, 240
Canada geese, breeding age, Montana, 57
caribou, field method to determine parturition rates, Newfoundland, 477
condition implied from pheasant weights during winter and spring, Ohio, 270
cottontails, multiparous juveniles, Illinois, 858
development and failure, Canada geese, Michigan, 197
influence of vitamin A, Gambel's quail, Arizona, 141
inhibiting ovulation, pigeons, Missouri, 556
mourning dove nesting, southern Michigan, 732
pheasants released in southern Illinois, 254
quail, annual population changes, California, 702
regulating by antifertility agents, coyotes, New Mexico, 352
ring-necked pheasants, nesting in soybean field, east-central Illinois, 589

Rhinoceroses, black: wildlife census, Serengeti–Mara region, East Africa, 815
Rhode Island: potato depredation by pheasants, 165
Ripley, T. H., *see* Cookingham, R. A., 855
Rodents: repelling value of Arasan–Endrin on acorns, South Carolina, 15
Rogers, John P., A decoy trap for male lesser scaups, 408
Effect of drought on reproduction of the lesser scaup, 213
Roseberry, John L., Some responses of bobwhites to snow cover in southern Illinois, 244
Roth, Earl E., *see* Adams, Willie V., 368
Rue, Leonard Lee, *The World of the White-Tailed Deer* (reviewed), 188
Ruminants: body and carcass composition, East Africa, 827
Russell, H. Lloyd, *See* Bergerud, Arthur T., 49, 809

Sanderson, Beverley C., *see* Sanderson, Glen C., 752
Sanderson, Glen C., and Beverley C. Sanderson. Radio-tracking rats in Malaya—a preliminary study, 752
Sanford, George E., *see* Adams, Willie V., 368
Scaups, lesser: decoy trap for males, Manitoba, 408
natural food consumption in captivity, Michigan, 527
reproduction as affected by drought, Manitoba, 213
unusual mortality, Minnesota, 848
Schaller, George B., *The Mountain Gorilla: Ecology and Behavior* (reviewed), 412
Scheffer, Victor B., *see* Bauer, Richard D., 374
Schultz, Helen C., Checklist of helpful reminders, 419
Schultz, Vincent, Sampling white-tailed deer antlers for strontium-90, 45
Scott, Thomas G., Designation of publication in literature cited, 416
Seals, fur: age determination by lens weight, Pribilof Islands, Alaska, 374
Semenov-Tyan-Shanskii, Oleg Izmailovich, *Ekologiya Tetervinykh Ptits* (The Ecology of Tetraonids) (reviewed), 600
Senger, Clyde M., *see* Forrester, Donald J., 481
Sex, determination of: caribou, Newfoundland, 54
sharp-tailed grouse, by lens weight, South Dakota, 853
woodcocks, from wings, 287
Sex, ratio: Canada geese, cannon-net trapped, Missouri, 522
Sheep, bighorn: lungworm infection, Montana, 481
marking device to spray dye, Nevada, 585
population dynamics, Wildhorse Island, Montana, 381
Short, Henry L., Postnatal stomach development of white-tailed deer, 445
Siniff, Donald B., and Ronald O. Skoog. Aerial censusing of caribou using stratified random sampling, 391
Skoog, Ronald O., *see* Siniff, Donald B., 391
Skunks, striped: nighttime capture, Louisiana, 368
Smith, Arthur D., Defecation rates of mule deer, 435
Smith, N. S., *see* Ledger, H. D., 827
South Carolina: rodent repellents, Arasan–Endrin applied to acorns, 15
South Dakota: deer, factors influencing spotlighting, 27
ring-necked pheasants, helminth infections, 543
sharp-tailed grouse, age determination by lens weight, 853
Special article: Kelker, George Hills, Appraisal of ideas advanced by Aldo Leopold thirty years ago, 180
Spencer, H. E., Jr., *see* Gershman, M., 587
Sphaerotilus natans: effect on trout production in experimental stream, Oregon, 617
Squirrels, eastern gray: repelling value of Arasan–Endrin on acorns, South Carolina, 15
selection of food, Georgia, 346
Squirrels, pine: food habits, northeastern California, 402
Stanford, Jack A., *see* Newlon, Charles F., 532
Steinhoff, Harold W., *see* Nagy, Julius G., 785
Stephenson, A. B., *see* van Nostrand, F. C., 430
Stewart, D. R. M., *see* Talbot, Lee M., 815
Stockstad, Dwight S., *see* Craighead, John J., 57
Strontium-90: sampling deer antlers, Maryland, 45
Stubbs, Jack, *see* Johnson, Frank M., 15
Succinylcholine chloride: immobilization of moose and caribou, Newfoundland, 49
Survival: ring-necked pheasants released in southern Illinois, 254
ring-necked pheasants, Wisconsin shooting preserve, 711

Talbot, Lee M., and D. R. M. Stewart. First wildlife census of the entire Serengeti–Mara region, East Africa, 815
Taylor, J. Mary, and Henri Jean. Rechargeable battery power for a portable photographic recorder, 406
Teal, blue-winged: brood behavior, Michigan, 492
numbered nasal discs, 688
predation by weasels on eggs, Manitoba, 404
transplanting flightless young, Minnesota to Missouri, 208
Techniques: aerial censusing caribou, stratified random sampling, south-central Alaska, 391
aerial wildlife censusing, Serengeti–Mara region, East Africa, 815

age determination, grizzly bear, annuli in tooth cementum, Canada, 863
age determination, woodchucks, 9
aging and lens weights, fur seals, Pribilof Islands, Alaska, 374
aging Columbian black-tailed deer by eye lens, 773
animal bites method, observation of grazing activity, forage competition between deer and livestock, Texas, 798
calculating illegal kill of hen pheasants, Minnesota, 249
calculation of differential survival of age-classes, 411
color-banding prairie chickens, Wisconsin, 850
color-marking birds, 594
color-marking geese, plastic coliars, Utah and Wyoming, 846
colored ear markers for beaver, Canada, 859
controlling reproduction in captive red foxes by use of diethylstilbestrol, New York, 358
determining age and sex of woodcocks from wings, 287
determining age in sharp-tailed grouse by lens weight, South Dakota, 853
determining age of beavers, tooth development, 430
determining age, preweaned raccoons, tooth eruption, 582
determining carcass and body composition, Uganda kob, East Africa, 827
digestibility of cedar and aspen browse, white-tailed deer, Michigan, 791
drop-net turkey trap, Texas, 280
estimating weights, black bears, Montana, 581
fertilization of burnet, game food, New Jersey, 840
field method to determine parturition rates, caribou, Newfoundland, 477
food evaluation, rumen analysis, caribou, Newfoundland, 809
immobilization of caribou and moose with succinylcholine chloride and Cap-Chur equipment, Newfoundland, 49
inhibiting ovulation, pigeons, Missouri, 556
mapping forested areas, 870
marking browse twigs to measure growth, Arizona, 868
marking deer and turkeys for field recognition, Texas, 167
marking desert bighorn sheep, dye spraying, Nevada, 584
marking wild turkeys, Texas, 552
night capture of waterfowl and marsh birds by light and sound, New York, 120
nighttime capture of striped skunks, Louisiana, 368
numbered nasal discs for waterfowl, 688
pellet-group counts, mule deer, Utah, 435
predator control with antifertility agents, New Mexico, 352
radio-tracking raccoons, Illinois, 363
radio-tracking system for deer, Minnesota, 42
rechargeable battery power for a portable photographic recorder, 406
relationship of mandible length to sex, caribou, Newfoundland, 54
repelling rodents, Arasan–Endrin applied to acorns, South Carolina, 15
sampling drifting organisms in streams, 592
sampling rumen contents, white-tailed deer, Texas, 473
spotlighting deer, South Dakota, 27
trapping geese, cannon-netted, Missouri, 522
trapping grouse, mobile cannon net, Colorado, 595
trapping male lesser scaups by decoy, Manitoba, 408
wetland survey, western Minnesota, 575
Teer, James G., Predation by long-tailed weasels on eggs of blue-winged teal, 404
See Thomas, Jack Ward, 463
Tester, John R., Dwain W. Warner, and William W. Cochran. A radio-tracking system for studying movements of deer, 42
Texas: birth of white-tailed deer fawns, 171
drop-net trap, wild turkey, 280
forage competition between deer and livestock, 798
marking technique for field recognition of turkeys and deer, 167
mortality in deer shot with Cap-Chur gun, 173
white-tailed deer, mobility and home range, 463
white-tailed deer, sampling rumen contents, 473
wild turkeys, colored leg markers, 552
Thomas, Jack Ward, and Rodney G. Marburger. Colored leg markers for wild turkeys, 552
Mortality in deer shot in the thoracic area with the Cap-Chur gun, 173
Thomas, Jack Ward, James G. Teer, and E. A. Walker. Mobility and home range of white-tailed deer on the Edwards Plateau in Texas, 463
Tigner, James R., and Walter A. Bowles. Chloropicrin tested as an area repellent for house mice, 748
Topis: wildlife census, Serengeti–Mara region, East Africa, 815
Toth, S. J., P. McLain, and L. G. MacNamara. Fertilization of burnet for game food on Lakewood sand soils, 840
Trainer, Daniel O., Epizootic hemorrhagic disease of deer, 377
Trout, coastal cutthroat: production in experimental, sucrose-enriched stream, Oregon, 617
Troyer, Willard A., and Richard J. Hensel. Structure and distribution of a Kodiak bear population, 769

Turkey, wild: color aberrancy, recurring, 148
colored leg markers, Texas, 552
drop-net trap, Texas, 280
marking technique for field recognition, Texas, 167
Tuttle, Herman J., Obituary of, 875
Twedt, Curtis M., *see* Dahlgren, Robert B., 853

Udvardy, Miklos D. F., (review of) Laurence Irving. *Birds of Anaktuvuk Pass, Kobuk, and Old Crow: A Study in Arctic Adaptation*, 602
Ullrey, D. E., W. G. Youatt, H. E. Johnson, P. K. Ku, and L. D. Fay. Digestibility of cedar and aspen browse for the white-tailed deer, 791
Utah: marking geese, plastic collars, 846
mule deer defecation rates, 435

van Nostrand, F. C., and A. B. Stephenson. Age determination for beavers by tooth development, 430
Vaught, Richard W., Results of transplanting flightless young blue-winged teal, 208
Verts, B. J., *see* Ferris, D. H., 35
Virginia: deer browse and timber harvest, 458
Visual aids: preparation of legible slides, 177
Vitamin A: influence on productivity, Gambel's quail, Arizona, 141
Vogl, Richard J., The effects of fire on a muskeg in northern Wisconsin, 317

Wales, Joseph H., *see* Warren, Charles E., 617
Walker, E. A., *see* Thomas, Jack Ward, 463
Ward, A. Lorin, Foods of the mourning dove in eastern Colorado, 152
Ward, Gerald M., *see* Nagy, Julius G., 785
Warner, Dwain W., *see* Tester, John R., 42
Warnock, John E., and G. Blair Joselyn. Nesting of pheasants in soybean fields, 589
See Joselyn, G. Blair, 547
Warren, Charles E., Joseph H. Wales, Gerald E. Davis, and Peter Doudoroff. Trout production in an experimental stream enriched with sucrose, 617
Waterfowl: capturing at night with light and sound, New York, 120
controlled hunting, Illinois, 676
duck brood behavior, Michigan, 492
hunting techniques compared, California, 103
mortality in Coeur d'Alene River Valley, Idaho, 692
Weasels, long-tailed: preying on eggs of blue-winged teal, Manitoba, 404
Webster, Clark G., Fall foods of soras from two habitats in Connecticut, 163
Weller, Milton W., Distribution and migration of the redhead, 64
Widgeon, American: behavior and ecology, post-breeding period, Idaho, 223
brood behavior, Michigan, 492
Whalen, Heman, *see* Bergerud, Arthur T., 49
Wildebeests: wildlife census, Serengeti–Mara region, East Africa, 815
Wildlife Society, The: Aldo Leopold award for 1964, 616
minutes of annual business meeting, March 9, 1964, 613
minutes of council meeting, March 8, 1964, 610
minutes of council meeting, September 10, 1963, 193
minutes of special council meeting, March 10, 1964, 614
report of the executive secretary for 1963, 606
Williams, C. E., Soil fertility and cottontail body weight: a reexamination, 329
Williams, Lovett E., Jr., A recurrent color aberrancy in the wild turkey, 148
Wilson, Vivian, *see* Child, Graham, 866
Wisconsin: color-banding prairie chickens, 850
effects of fire on muskeg, 317
effects of gastrointestinal parasites, cottontails, 20
survival of shooting preserve pheasants, 711
Witter, J. F., *see* Gershman, M., 587
Wood, Jack S., Normal development and causes of reproductive failure in Canada geese, 197
Woodchucks: determination of age, Pennsylvania, 9
effect of exploitation on birth, mortality, and movement rates in a population, Pennsylvania, 1
Woodcocks: wings, determining age and sex, 287
Woodgerd, Wesley, Population dynamics of bighorn sheep on Wildhorse Island, 381
Wyoming: marking geese, plastic collars, 846

Youatt, W. G., *see* Ullrey, D. E., 791
Yuill, Thomas M., Effects of gastrointestinal parasites on cottontails, 20

Zebras: wildlife census, Serengeti–Mara region, East Africa, 815

blue-
n two
on of
post-
49
ra re-
d for
ch 9,
4, 610
1963,
h 10,
, 606
body
aber-
350
ntails,
11
ses of
197
vania,
, and
vania,
, 287
big-
46
para-
egion,